



# Toronto Green Standard Version 2.0 Statistics Template

For Low-Rise Residential Development

The Toronto Green Standard Statistics Template is submitted with Site Plan Control Applications and stand alone Zoning Bylaw Amendment applications. Complete the table and copy it directly onto the Site Plan submitted as part of the application. All fields should be completed for Site Plan Control applications. Refer to the Toronto Green Standard for New Low-Rise Residential Development (Version 2.0) for the complete set of standards and detailed specifications: [www.toronto.ca/greendevlopment](http://www.toronto.ca/greendevlopment)

## Toronto Green Standard Statistics

| General Project Description   |  | Proposed            |                     |
|---|--|---------------------|---------------------|
| Total Gross Floor Area (m <sup>2</sup> )  |  | 8604 m <sup>2</sup> |                     |
| Number of residential units   |  | 80                  |                     |
| Urban Heat Island Reduction: At-Grade   |  | Required            | Proposed            |
| Total non-roof hardscape area (m <sup>2</sup> )   |  |                     | 470 m <sup>2</sup>  |
| Total non-roof hardscape treated for Urban Heat Island ( <b>minimum 50%</b> ) (m <sup>2</sup> ) and (%)                     |  | 50%                 | 235 m <sup>2</sup>  |
| Percentage of non-roof hardscape treated with:  |  |                     |                     |
| a) high-albedo surface material   |  |                     | 50%                 |
| b) open-grid pavement   |  |                     | -                   |
| c) shade from tree canopy   |  |                     | -                   |
| d) shade from structures covered by solar panels  |  |                     | -                   |
| Urban Heat Island Reduction: Roof   |  | Required            | Proposed            |
| Available Roof Space (m <sup>2</sup> )  |  |                     | 878 m <sup>2</sup>  |
| Available Roof Space provided as Green Roof (m <sup>2</sup> ) and (%)   |  | 0%                  | 490 m <sup>2</sup>  |
| Available Roof Space provided as Cool Roof (m <sup>2</sup> ) and (%)  |  | 100%                | 388 m <sup>2</sup>  |
| Water Efficiency  |  | Required            | Proposed            |
| Landscaped area planted with water efficient plants ( <b>minimum 50%</b> ) (m <sup>2</sup> ) and (%)                        |  | 50%                 | 412 m <sup>2</sup>  |
| Urban Forest : Encourage Tree Growth  |  | Required            | Proposed            |
| Total site area (m <sup>2</sup> )   |  |                     | 4207 m <sup>2</sup> |
| Total number of trees planted ( <b>site area x 40% ÷ 66</b> )   |  | 25                  | 25                  |
| Number of surface parking spaces (if applicable)  |  |                     | -                   |
| Number of shade trees located in surface parking area interior ( <b>minimum 1 tree for 5 parking spaces</b> )               |  | -                   | -                   |
| Natural Heritage: Site  |  | Required            | Proposed            |
| Total number of species planted   |  |                     | TBD                 |
| Total number of native species planted and % of total species planted ( <b>minimum 50%</b> )                                |  | 50%                 | TBD                 |
| Bird Friendly Glazing ( <i>complete if applicable</i> )   |  | Required            | Proposed            |
| Total area of glazing of all elevations within 12m above grade (including glass balcony railings)                           |  |                     | -                   |
| Total area of treated glazing ( <b>minimum 85% of total area of glazing within 12m above grade</b> ) (m <sup>2</sup> and %) |  | -                   | -                   |
| Percentage of glazing within 12m above grade treated with:  |  |                     |                     |
| a) Visual markers   |  |                     | -                   |
| b) Shading  |  |                     | -                   |